

Headed Anchor- Shipping Weight Chart

Stud Diameter	Stud Length	Pounds/ 1000 pcs.	Pieces/Box	Pounds/Box	Pieces/Pallet	Pounds/Pallet
1/4	1-1/8	22	2,000	48	54,000	1,296
	2-11/16	43	1,000	45	27,000	1,215
	3-1/8	50	1,000	51	27,000	1,377
	4-1/8	63	600	38	16,200	1,026
3/8	1-1/4	65	1,000	67	27,000	1,809
	1-3/8	68	1,000	70	27,000	1,890
	1-5/8	77	1,000	79	27,000	2,133
	2-1/8	92	700	67	18,900	1,809
	2-5/8	111	600	66	16,200	1,782
	3-1/8	124	500	62	13,500	1,674
	4-1/8	154	350	55	9,450	1,485
	5-1/8	185	300	56	8,100	1,512
	6-1/8	212	200	44	5,400	1,188
	8-1/8	274	125	35	3,375	945
1/2	1-1/8	112	600	68	16,200	1,836
	1-3/8	125	500	65	13,500	1,755
	1-1/2	132	500	68	13,500	1,836
	1-5/8	138	450	64	12,150	1,728
	2-1/8	166	400	70	10,800	1,890
	2-5/8	198	350	71	9,450	1,917
	3-1/8	223	300	69	8,100	1,863
	3-5/8	246	200	51	5,400	1,377
	4-1/8	277	200	56	5,400	1,512
	4-5/8	315	200	63	5,400	1,701
	5-1/8	326	150	50	4,050	1,350
	5-5/16	339	150	53	4,050	1,431
	6-1/8	388	125	50	3,375	1,350
	8-1/8	500	80	40	2,160	1,080

800-458-9353

www.hybrocosales.com

Headed Anchor– Shipping Weight Chart

Stud Diameter	Stud Length	Pounds/ 1000 pcs.	Pieces/Box	Pounds/Box	Pieces/Pallet	Pounds/Pallet
5/8	1-7/16	208	400	85	10,800	2,295
	1-11/16	227	325	77	8,775	2,079
	1-15/16	248	300	78	8,100	2,106
	2-1/8	264	250	68	6,750	1,836
	2-3/16	270	250	71	6,750	1,917
	2-11/16	319	250	81	6,750	2,187
	3-3/16	363	200	75	5,400	2,025
	3-11/16	398	150	62	4,050	1,674
	4-3/16	444	150	69	4,050	1,863
	4-11/16	487	125	63	3,375	1,701
	5-3/16	528	100	55	2,700	1,485
	6-3/16	604	90	55	2,430	1,485
	6-9/16	646	80	52	2,160	1,404
	8-3/16	781	50	40	1,350	1,080
10-3/16	949	100	98	900	882	

Shear Connector– Shipping Weight Chart

3/4	2.20	355	200	71	5400	1,917
	2-11/16	414	150	63	7,200	3,024
	3-3/16	478	125	60	6,000	2,880
	3-11/16	548	100	55	4,800	2,640
	4-3/16	600	100	62	4,800	2,976
	4-11/16	672	75	51	3,600	2,448
	5-3/16	735	60	44	2,880	2,112
	5-11/16	797	60	48	2,880	2,304
	6-3/16	852	60	51	2,880	2,448
	6-11/16	905	70	64	1,890	1,728
	7-3/16	968	60	59	1,620	1,593
	8-3/16	1,105	50	56	1,350	1,512
	9-3/16	1,222	100	126	900	1,134
	10-3/16	1,339	100	137	900	1233

800-458-9353

www.hybrocosales.com

Shear Connector– Shipping Weight Chart

Stud Diameter	Stud Length	Pounds/ 1000 pcs.	Pieces/Box	Pounds/Box	Pieces/Pallet	Pounds/Pallet
3/4 Thru-Deck	3-3/8	500	125	63	6,000	3,024
	3-7/8	567	100	58	4,800	2,784
	4-3/8	625	100	62	4,800	2,976
	4-7/8	683	75	52	3,600	2,496
	5-3/8	754	60	45	2,880	2,160
	5-7/8	810	60	49	2,880	2,352
	6-3/8	884	60	56	2,880	2,544
7/8	3-3/16	631	100	66	2,700	1,782
	3-11/16	709	100	74	2,700	1,998
	4-3/16	796	75	60	2,025	1,620
	4-11/16	878	80	72	2,160	1,944
	5-3/16	962	60	60	1,620	1,620
	5-11/16	1,067	60	65	1,620	1,944
	6-3/16	1,137	50	58	1,350	1,620
	6-11/16	1,236	50	63	1,350	1,755
	7-3/16	1,306	45	59	1,215	1,566
	8-3/16	1,496	40	59	1,080	1,593
	9-3/16	1,666	75	125	675	1,125
	10-3/16	1,836	75	139	675	1,251
1	3-1/4	894	75	70	2,025	1,890
	4-1/4	1,079	50	57	1,350	1,539
	5-1/4	1,302	50	67	1,350	1,809
	6-1/4	1,514	40	63	1,080	1,701
	7-1/4	1,737	40	72	1,080	1,944
	8-1/4	1,978	85	171	765	1,539
	9-1/4	2,230	50	112	450	1,008

800-458-9353

www.hybrocosales.com